



FLETA
workwear



Catalog

INDUSTRIAL

APRONS



Brand renowned for its durability and comfort



Why FLETA?

3

Components of the apron

4

719 Apron Strong Acrylonitrile

5

720 Apron Light Acrylonitrile

6

727 Apron TPU Bright

7

701 Apron PVC White

8

736 Apron PVC Colour

9

737 Apron PVC Suit

10

729 Apron TPU Suit

11

Personalization

12

Waterproof Sleeves

13

Trusted by us

14



*Leaders in the Spanish market
and one of the top manufacturers
for the European market.*

Since 1970, Mariano Simón Fleta, our founder, has been a pioneer in manufacturing the classic cutting aprons for the meat industry in Spain.

Our brand, Fleta Workwear, is a benchmark for quality and service in the food sector, with more than 2 millions of units sold and over 600 satisfied clients.

**MADE IN
ARAGON**

PERSONALIZED ATTENTION

Always available to our customers, providing a 100% personalized service.

QUALITY GUARANTEED

Being manufactured in Spain ensures the highest quality, delivering a superior product.

INNOVATION

We develop innovative technologies, adapting to the needs of various sectors.

SPEED

Record delivery times, understanding our customers' needs.



DESIGNED AND MANUFACTURED IN OUR FACILITIES



LOOKED

High-resistance polycarbonate.



ELASTIC CORD

Facilitates movement in the workplace.



SEAMLESS

To facilitate cleaning and prevent dirt buildup.



BUCKLE CLOSURE

Designed for easy attachment and adjustment of the apron.



STRAPS

Lightweight yet highly durable, they distribute weight across the back.



EYELET RING

Ensures a comfortable and healthy fit for the apron.



"With an intelligent design, this apron reduces strain on the neck and shoulders by better distributing the weight across the back and body contours."

Iñigo Junqueras




Watch video

APRON ACRYLONITRILE

719

Acrylonitrile with rubberized polyester backing.
Offers excellent performance in tasks requiring a high level of demand and abrasion.

MEASUREMENTS	110 x 70 cm	120 x 70 cm
COMPOSITION	Acrylonitrile with polyester backing	
WEIGHT	715 gr.	745 gr.
THICKNESS	680 microns	
UNITS PER BOX	24 and. / 18-19 kg.	
BOXES / PALLET	24	
COLORS	 Natural	



Front view



Strap system facilitates easy attachment and adjustment.



TECHNICAL SHEET

Applications

Ideal for work with sharp tools in cutting rooms, meat companies, dairy industries, canneries, oil bottling plants, general workshops, and laboratories...



Features

- High abrasion resistance:
- UNE 53243.
 - High tear resistance:
- UNE 53326.
 - Waterproof and resistant to saltwater.
- Resistant to alkaline washing liquids, oils, and fats (mineral, vegetable, animal, and silicone).
- Rigid, durable fabric.
- Maximum temperature: 80°C.
- Resistant to organic waste, non-concentrated acids, and aliphatic hydrocarbons.
- Fireproof, antifungal, antibacterial, and hypoallergenic.
- Recyclable.
- Food contact approved:
- UE 10/2011 - 1935/2004.



APRON ACRYLONITRILE

720

Acrylonitrile with rubberized polyester backing.
Offers excellent performance in tasks requiring a high level of demand and abrasion.

MEASUREMENT	110 x 70 cm
COMPOSITION	Acrylonitrile with polyester backing
WEIGHT	570 gr.
THICKNESS	630 microns
UNITS PER BOX	24 and. / 15 kg.
BOXES / PALLET	24
COLORS	<input type="radio"/> White



Front view



Strap system facilitates easy attachment and adjustment.



TECHNICAL SHEET

Applications

Ideal for work with sharp tools in cutting rooms, meat companies, dairy industries, canneries, oil bottling plants, general workshops, and laboratories.

Features

- Soft to the touch and lightweight.
- High tear and puncture resistance:
- Maximum temperature: 70°C.
- Resistant to organic waste and non-concentrated acids.
- Antifungal, antibacterial and hypoallergenic.
- Recyclable.
- Food contact approved:
- EC 1935/2004 - Directive 2007/19/EC.
- Quality guaranteed.

Standard NF EN 467 - May 1995.

- Waterproof.
- Resistant to alkaline washing liquids, oils, and fats (mineral, vegetable, animal, and silicone).



GLOSSY POLYURETHAN APRON

727

Glossy polyurethane with a polyester base, a very lightweight apron that offers optimal performance in high-humidity jobs, being abrasion-resistant.

MEASURES	110 x 70 cm	117 x 70 cm
COMPOSITION	Polyester-based polyurethane	
WEIGHT	330 gr.	340 gr.
FABRIC THICKNESS	300 microns	
FINISH	Bright	
UNITS BOX	30 and. / 11 kg.	
BOXES PER PALLET	24	
COLORS	<input type="radio"/> White <input checked="" type="radio"/> Blue	



Front view



Strap system facilitates easy attachment and adjustment.

Applications

Ideal for work in high humidity. Dairies, canneries, salting plants, packaging, supermarkets, fishmongers, kitchens, nurseries, distilleries, craft and graphic arts, laboratories, cleaning, etc.



Other color available: Blue.

Features

- High-gloss, extra-light fabric.
- Complies with the requirements of the European directive.
- 89/686/CEE.
 - Standard EN 467.
- Abrasion resistant.
- Tear resistant.
- Resistant to oils, vegetable and animal fats.
- Resistant to organic waste.
- Bleach resistance at 40°.
- Maximum temperature: 125° C.
- Impermeable.
- Stable at -40°.
- Flexible and elastic.
- It does not harden.
- Soft to the touch.
- It can be recycled.
- Antifungal, antibacterial and antiallergic.
- Suitable for contact with food.
- UE 10/2011.
- Quality guaranteed.



PVC APRON

701

PVC, also known as Skay, with a 7% polyester backing, offers high protection against moisture and stains.

MEASURES	110 x 70 cm
COMPOSITION	PVC with 7% polyester backing
WEIGHT	450 gr.
FABRIC THICKNESS	800 microns
FINISH	Death
UNITS BOX	20 and. / 10 kg.
BOXES PER PALLET	24
COLORS	<input type="radio"/> White



Front view



Strap system facilitates easy attachment and adjustment.

Applications

Packaging, canning, supermarkets, fishmongers, meat processing, bakeries, kitchens, nurseries, agriculture, distilleries, laboratories, cleaning services...



Personalization
Premium quality UV printing

Features

- Complies with food regulations.
- ONE in 1186-5.
- High abrasion resistance.
- A 53-243/8.
- Tear resistant.
- A 53-326.
- Resistant to fats, oils and hydrocarbons.
- Resistant to various acids and alkalis.
- Tear and puncture resistant.

Greater flexibility and elasticity thanks to the increase in plasticizer.

- With ACUA treatment, which improves abrasion resistance, improves cleanliness, and reduces plasticizer migration.
- Suitable for contact with food.
- EU10/2011.
- Quality guaranteed.
- Maximum temperature: 40° C.



PVC APRON

736

PVC, also known as Skay, with a 6% polyester and 6% cotton backing, offers high protection against moisture and stains.

MEASURES	110 x 70 cm
COMPOSITION	PVC with 6% polyester and 6% cotton backing
WEIGHT	450 gr.
FABRIC THICKNESS	800 microns
FINISH	Death
UNITS BOX	20 and. / 11 kg.
BOXES PER PALLET	24
COLORS	<div><div></div> Orange <div></div> /y</div> <div>Other colors, consult.</div>



TECHNICAL SHEET



Front view



Strap system facilitates easy attachment and adjustment.



Applications

Packaging, canning, supermarkets, fishmongers, meat processing, bakeries, kitchens, nurseries, agriculture, distilleries, laboratories, cleaning services...

Features

- Complies with food regulations.
- ONE in 1186-5.
- High abrasion resistance.
- A 53-243/8.
- Tear resistant.
- A 53-326.
- Resistant to fats, oils and hydrocarbons.
- Resistant to various acids and alkalis.
- Tear and puncture resistant.

Greater flexibility and elasticity thanks to the increase in plasticizer.

- With ACUA treatment, which improves abrasion resistance, improves cleanliness, and reduces plasticizer migration.
- Suitable for contact with food.
- EU10/2011.
- Quality guaranteed.
- Maximum temperature: 40° C.



Personalization
Premium quality UV
printing




PVC SUIT APRON

737

PVC, also known as Skay, with a 10% polyester backing, offers high protection against moisture and stains.



TECHNICAL SHEET

MEASURES	110 x 70 cm
COMPOSITION	PVC with 10% polyester backing
WEIGHT	430 gr.
FABRIC THICKNESS	700 microns
FINISH	Death
UNITS BOX	20 and. / 10 kg.
BOXES PER PALLET	24
COLORS	 Negro



Front view



Strap system facilitates easy attachment and adjustment.

Applications

Ideal for counters and stores. Butcher shops, delicatessens, canneries, packaging, supermarkets, fishmongers, bakeries, kitchens, nurseries, agriculture, distilleries, laboratories, cleaning services...



Personalization
Premium quality UV
printing

Features


- Elegant and modern design.
- High resistance to breakage.
- BS 3424.
 - Resistance to chemical agents, greases, oils and hydrocarbons.
- Resistant to various acids and alkalis.
- Greater flexibility thanks to the increase in plasticizer.
- High resistance to punching.
- With ACUA treatment, which improves abrasion resistance, improves cleanliness, and reduces plasticizer migration.
- Suitable for contact with food.
- Quality guaranteed.
- Maximum temperature: 40° C.



POLYURETHANE SUIT APRON

729

Matte thermoplastic polyurethane with a polyester base, offering optimal performance in the most demanding industries.

MEASURES	117 x 70 cm
COMPOSITION	Polyester-based polyurethane
WEIGHT	320 gr.
FABRIC THICKNESS	300 microns
FINISH	Death
UNITS BOX	30 and. / 12 kg.
BOXES PER PALLET	24
COLORS	 Negro



Front view



Strap system facilitates easy attachment and adjustment.

Applications

Ideal for counters and stores. Butcher shops, delicatessens, canneries, packaging, supermarkets, fishmongers, bakeries, kitchens, nurseries, agriculture, distilleries, laboratories, cleaning services, etc.



Personalization
UV printing
premium quality

Features

- Matte fabric, extra light.
 - Elegant and modern design.
 - Complies with food regulations.
 - ONE in 1186-5.
 - High resistance to abrasion, salt water and extreme temperatures.
 - From -40 to +125°C.
 - Tear resistant.
 - High resistance to chemical agents, greases, oils and hydrocarbons.
- Impermeable.

 - High resistance to punching.

Flexible and elastic.

It does not harden.

Soft to the touch.

 - It can be recycled.
 - Antifungal, antibacterial and antiallergic.
 - Suitable for contact with food
 - EU 10/2011.
 - Quality guaranteed.





Endurance	●●●●●●	●●●●●●	●●○○○○	●●○○○○	●●●●●○	●●○○○○	●●●●●○
Comfort	●●●●●○	●●●●●○	●●●●●○	●●●●●○	●●●●●●	●●●●●○	●●●●●●
Lightness	●●○○○○	●●●●○○	●●●●●○	●●●●●○	●●●●●●	●●●●●○	●●●●●●
Washing	●●●●●○	●●●●●○	●●●●○○	●●●●○○	●●●●●●	●●●●○○	●●●●●●
Smoothness	●●●●○○	●●●●●○	●●●●●●	●●●●●●	●●●●●●	●●●●●●	●●●●●●
Printable	✗	✗	✓	✓	✓	✓	✓

PERSONALIZATION

Almost all models are customizable with logos, designs, phrases, and colors of your choice.

A team of designers is available to implement any proposed idea.



Printing available on the models:				
701	736	727	737 Suit	729 Suit



UV PRINTING
premium quality

PRINTING
AREA




WATERPROOF SLEEVES

750



TECHNICAL SHEET

LONG	48 cm
COMPOSITION	Polyurethane
FABRIC THICKNESS	0,2 mm
WEIGHT	3 grams
FINISH	Bright
COLORS	<input checked="" type="radio"/> Azul - Detectable
	<input type="radio"/> White
EXTRAS	 Includes hook for easy drying



Features

- Impermeable.
- Detectable (only available in blue).
- Shiny, extra light fabric.
- With adjustable rubber.
- Elegant design.
- Complies with food regulations.
- EU 1935/2004
 - Suitable for machine washing.
- Up to 90°C.
 - Flexible and elastic at low temperatures -65°C.
- It does not harden.
- Soft to the touch.
- It can be recycled.
- Antifungal, antibacterial and antiallergic.
- High resistance to chemical agents, greases, oils and hydrocarbons.
- Stainless: Does not include metal parts.
- Quality guaranteed.

NO METAL PARTS



SOME OF OUR CLIENTS



SOME OF OUR DISTRIBUTORS



To those present and those not included in this gallery, we are proud to have provided and continue to provide our services.

DIRECTION

Av. Major Francisco Caballero, 30T
50014 - Saragossa, Spain

CONTACT

export@fleta.com
+34 976 470 412
www.theapron.fleta.com
www.fleta.com



The Apron

